

Feature Highlights:

- · Protects dock from moisture infiltration, keeping products safe from costly water damage
- · Automatic position, no manual activation necessary
- · Heavy-duty galvanized steel channel head frame
- · Translucent fiberglass raked head frame for fast water drainage
- · High-resilient foam core protected by three layers of durable coated fabric
- · Seal easily replaceable, reducing down time and maintenance costs
- · Rugged support brackets for mounting over existing equipment
- Weighted side covers provide extra protection for the dock area (not shown)
- · Covers trucks 12'-9" to 13'-6" high

Project Information

Job Name _____ Address _____ General Contractor Distributor _____ Quantity _____

Certified For Construction

Company Address _____ Date _____



KELLEY

APPLICATION DATA TRUCKS AND TRAILERS SERVICED Door Width:		= DOCK SEAL UNIT WIDTH I					PROJECTION OF
APPLICATION DATA Door Width:							* MAXIMUM PROJ
APPLICATION DATA Door Width:ftin.				DOC	K SEAL MOUNTING 24"	18*	
APPLICATION DATA Door Width:							
APPLICATION DATA Door Width:ftin. Door Height:ftin. Dook Height:ftin. Height:MaxMin. Dook Height:in. (*Includes bumper projection and any building wall/ foundation offset or cantilever) Drive/Approach Level Incline Decline Weighted Side Covers: 22 oz. Vinyl Color Black Tan Brown Blue Green Weighted Side Covers: 25 oz. Vinyl Color Black Tan Brown Blue Green Hame Retardant Fabric & Foam Flame Retardant Fabric Only Wear Pleat Material: TS-55* Color Black Tan Brown Blue Green Head Frame Material: Galvanized Steel Top Projection of Dock Seal: Augushelid Head Frame Projection: (18" greater than dock seal top projection) Dock Seal Unit Width Including Mounting Brackets Augushelid Head Frame Width (Total Inches)							
APPLICATION DATA Door Width:ftin	DOCK				(TYP.)		
APPLICATION DATA Door Width:ftin.			, mony				DOCK SEAL OVERALL
APPLICATION DATA Door Width:ftin.			_		12"-8 HEAD F	3" OFF GRADE AT FRAME PROJECTION	GRADE AT WALL
APPLICATION DATA Door Width:ftin.				V			
APPLICATION DATA Door Width:ftin.							
APPLICATION DATA Door Width:ftin.					\		
Door Width: ft in.					LEVEL DRIVE		
Door Width: ft in.	ADDITIOATIO	N. DATA			TRUCKS AND T	DAII EDG GEDVI)ED
Door Height: ft in.			ft	in			
Dock Height:							
Bumper Protection*:in.	_						
Tailgate/Step Section Size:In. Yard Jockeys:	_			-	Hydraulic Tailgat	e: 🗆 Yes 🗆	No
Yard Jockeys: Yes No No Yeighted Side Covers: 22 oz. Vinyl Color Black Tan Brown Blue Green Removable Cover Material: TS-55® Color Black Tan Brown Blue Green Flame Retardant Fabric & Foam Flame Retardant Fabric Only Near Pleat Material: TS-55® Color Black Tan Brown Blue Green Green Black Tan Brown Blue Green Black Tan Brown Blue Green	(*Includes bu	mper projection a	and any buildii	ng wall/	Rear Step Section	on: \square Yes \square	No
Prive/Approach Level Incline Decline Veighted Side Covers: 22 oz. Vinyl Color Black Tan Brown Blue Green Removable Cover Material: TS-55** Color Black Tan Brown Blue Green Flame Retardant Fabric & Foam Flame Retardant Fabric Only Vear Pleat Material: TS-55** Color Black Tan Brown Blue Green Green Gree	foundation of	set or cantilever)			Tailgate/Step Se	ection Size:	In.
Color					Yard Jockeys:	□ Yes □	No
Color Black Tan Brown Blue Green Flame Retardant Fabric & Foam Flame Retardant Fabric Only Wear Pleat Material: TS-55® Color Black Tan Brown Blue Green Gre	Veighted Side	Covers: 22 oz.	. Vinyl		□ Blue □ Gr	een	
Color				= Blown	_ Blac _ al	0011	
Flame Retardant Fabric & Foam				Rrown	□ Rlue □ Gr	een	
Color	COIOI						
Color	Vear Pleat Ma		ardant rabine	o de i odini		radiit rabiio oiii	y
Gop Projection of Dock Seal:		□ Black	□ Tan	□ Brown	□ Blue □ Gr	reen	
Aquasheild Head Frame Projection: (18" greater than dock seal top projection) Oock Seal Overall Unit Height off Grade at Wall: Oock Seal Unit Width (Total Inches) Oock Seal Unit Width Including Mounting Brackets Aquashield Head Frame Width (Total Inches)	Color						
Aquasheild Head Frame Projection: (18" greater than dock seal top projection) Oock Seal Overall Unit Height off Grade at Wall: Oock Seal Unit Width		aterial: Galvani	zed Steel				
Aquasheild Head Frame Projection: (18" greater than dock seal top projection) Oock Seal Overall Unit Height off Grade at Wall: Oock Seal Unit Width	lead Frame M						
(18" greater than dock seal top projection) Oock Seal Overall Unit Height off Grade at Wall: Oock Seal Unit Width (Total Inches) Oock Seal Unit Width Including Mounting Brackets Aquashield Head Frame Width (Total Inches)	lead Frame M op Projection	of Dock Seal:					
Oock Seal Overall Unit Height off Grade at Wall: Oock Seal Unit Width (Total Inches) Oock Seal Unit Width Including Mounting Brackets Aquashield Head Frame Width (Total Inches)	Head Frame M Top Projection Bottom Projec	of Dock Seal: tion of Dock Se					
Oock Seal Unit Width (Total Inches) Oock Seal Unit Width Including Mounting Brackets Aquashield Head Frame Width (Total Inches)	lead Frame M op Projection Bottom Projec Aquasheild He	of Dock Seal: tion of Dock Se ad Frame Proje	eal:				
Oock Seal Unit Width Including Mounting Brackets Aquashield Head Frame Width (Total Inches)	Head Frame M Top Projection Bottom Projection Aquasheild He (18" greate	of Dock Seal: tion of Dock Se ad Frame Proje er than dock sea	eal: ction: al top projec	tion)			
Aquashield Head Frame Width (Total Inches)	lead Frame M fop Projection Bottom Projection Aquasheild He (18" greate Dock Seal Ove	of Dock Seal: tion of Dock Se ad Frame Proje er than dock sea erall Unit Height	eal: ction: al top projec t off Grade a	tion) at Wall:			
	lead Frame M fop Projection Bottom Projection Aquasheild He (18" greate Dock Seal Over	of Dock Seal: tion of Dock Se ad Frame Proje er than dock sea erall Unit Height	eal: ction: al top projec t off Grade a	tion) at Wall: (Total Inche	es)		
	lead Frame M Top Projection Bottom Projection Aquasheild He (18" greate Dock Seal Ove Dock Seal Unit	of Dock Seal: tion of Dock Se ad Frame Proje er than dock sea rall Unit Height t Width	eal: ction: al top projec t off Grade a	tion) at Wall: (Total Inche g Brackets	es)		
	p Projection of the Projection	of Dock Seal: tion of Dock Sead ad Frame Proje er than dock sea rall Unit Height t Width Width Includin	eal: ction: al top projec t off Grade a	tion) at Wall: (Total Inche g Brackets (To	es)		

1612 Hutton Drive, Suite 140 ▼ Carrollton, TX 75006, USA ▼ Tel: 800-558-6960 ▼ Fax: 972-389-4766 ▼ Email: sales@kelleycompany.com ▼ www.kelleycompany.com A continuing research program is in effect at Kelley. We reserve the right to incorporate product improvement at any time without prior notice.

Inches x 25.4 = millimeters (Example: $4" \times 25.4 = 101.6 \text{ mm}$)

Feet x .3048 = meters (Example: 12' x .3048 = 3.66 m